

AND124Y

Standard LED

T-1 Package (5 mm)

The yellow source color devices are made with Gallium Arsenide Phosphide on Gallium Phosphide Yellow Light Emitting Diode

Features

- Low power consumption
- Popular T-1 diameter package
- General purpose leads
- Reliable and rugged
- Long life - solid state reliability
- Available on tape and rell
- RoHS compliant

Maximum Ratings (Ta - 25 °C)

Color		Lens Desc.	Iv (mcd) [2] @ 10 mA		Viewing Angle 2θ1/2 (Deg)
LED	Lens		Min.	Typ.	
Yellow	Yellow	Diffused	8	18	60

Notes: 1) θ 1/2 is the angle from optical centering where the luminous intensity is 1/2 of the optical peak value.

2) luminous intensity / luminous flux: ± 15%

Absolute Maximum Ratings (Ta - 25 °C)

Item	Symbol	Rating (Green)	Unit
Power Dissipation	P _D	75	mW
DC Forward Current	I _F	30	mA
Reverse Voltage	V _R	5	V
Peak Forward Current [1]		140	mA
Operating Temperature Range	T _{OPR}	-40 to +85	°C
Lead Solder Temperature [2]		260°C for 3 seconds	
Lead Solder Temperature [3]		260°C for 5 seconds	

Notes: 1) 1/10 Duty Cycle; 0.1 ms Pulse Width

2) 2 mm below package base

3) 5 mm below package base

Electrical/Optical Characteristics at Ta=25° C


Item	Symbol	Test Condition	Device	Minimum	Typical	Maximum	Unit
Peak Wavelength	λ _{peak}	I _F = 20 mA	Yellow	590	-	-	nm
Dominant Wavelength	λ _D [1]	I _F = 20 mA	Yellow	588	-	-	nm
Spectral Line Half Width	Δλ 1/2	I _F = 20 mA	Yellow	35	-	-	nm
Capacitance	C	V _F = 0V; f=1MHz	Yellow	20	-	-	pF
Forward Voltage	V _F [2]	I _F = 20 mA	Yellow	2.1	-	2.5	V
Reverse Current	I _R	V _R = 5 V	Yellow	-	-	10	μA
	λ _P	I _F = 15 mA	Yellow	-	565	-	nm
	λ	I _F = 15 mA	Yellow	-	30	-	nm

Notes: 1) Wavelength ± 1 nm 2) Forward voltage ± 0.1V

Product specifications contained herein may be changed without prior notice. It is therefore advisable to contact Purdy Electronics before proceeding with the design of equipment incorporating this product.

Purdy Electronics Corporation • 720 Palomar Avenue • Sunnyvale, CA 94085

Tel: 408-523-8200 • Fax: 408-733-1287 • sales@purdyelectronics.com • www.purdyelectronics.com



Yellow

